



Customize
without
Compromise



Create Your
Dream Look



Combination Doors

- Wide range of options to create the look you want for the exterior of your home.
- Cores are fiberglass and can be painted or stained.
- Thick, polyurethane injected core.
- Heavy-duty jamb system.
- Double paned, insulated glass*
- Thermal break at the threshold.
- Packing clips to ensure the door stays square during installation.

**except the Sunburst.*



6-Panel Fiberglass Combo Door with 6 Lite

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color	Jamb Size	Lite
6993476LC^	34" x 76"	White	Left-Hand	Conventional White	4"	6-Lite
6993476RC^	34" x 76"	White	Right-Hand	Conventional White	4"	6-Lite

6-Panel Fiberglass Combo Door with 9 Lite

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color	Jamb Size	Lite
6993276LN^	32" x 76"	White	Left-Hand	Conventional White	4"	9-Lite
6993276RN^	32" x 76"	White	Right-Hand	Conventional White	4"	9-Lite
6993476LN	34" x 76"	White	Left-Hand	Conventional White	4"	9-Lite
6993476RN	34" x 76"	White	Right-Hand	Conventional White	4"	9-Lite
6993480LN	34" x 80"	White	Left-Hand	Conventional White	4"	9-Lite
6993480RN	34" x 80"	White	Right-Hand	Conventional White	4"	9-Lite



6-Panel Fiberglass Combo Door with Decorative Star Lite

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color	Jamb Size	Lite
6993476LTS	34" x 76"	White	Left-Hand	Conventional White	4"	Decorative Star
6993476RTS	34" x 76"	White	Right-Hand	Conventional White	4"	Decorative Star
6993676LTS	36" x 76"	White	Left-Hand	Conventional White	4"	Decorative Star
6993676RTS	36" x 76"	White	Right-Hand	Conventional White	4"	Decorative Star

6-Panel Fiberglass Combo Door with Decorative Sunburst Lite

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color	Jamb Size	Lite
6993476LSW^	34" x 76"	White	Left-Hand	Conventional White	4"	Dec Sunburst
6993476RSW^	34" x 76"	White	Right-Hand	Conventional White	4"	Dec Sunburst



^Available with 4-6 week lead time.

6-Panel Fiberglass Combo Door with Knocker Viewer

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color	Jamb Size	Lite
6993276LK	32" x 76"	White	Left-Hand	Conventional White	6"	Knocker Viewer
6993276RK	32" x 76"	White	Right-Hand	Conventional White	4"	Knocker Viewer
6993476LK	34" x 76"	White	Left-Hand	Conventional White	4"	Knocker Viewer
6993476LK6	34" x 76"	White	Left-Hand	Conventional White	6"	Knocker Viewer
6993476LK6V	34" x 76"	White	Left-Hand	Full View White	4"	Knocker Viewer
6993476RK	34" x 76"	White	Right-Hand	Conventional White	4"	Knocker Viewer
6993476RK6	34" x 76"	White	Right-Hand	Conventional White	6"	Knocker Viewer
6993476RK6V	34" x 76"	White	Right-Hand	Full View White	4"	Knocker Viewer
6993478LK	34" x 78"	White	Left-Hand	Conventional White	4"	Knocker Viewer
6993478RK	34" x 78"	White	Right-Hand	Conventional White	4"	Knocker Viewer
6993480LK	34" x 80"	White	Left-Hand	Conventional White	4"	Knocker Viewer
6993480LK6	34" x 80"	White	Left-Hand	Conventional White	6"	Knocker Viewer
6993480RK	34" x 80"	White	Right-Hand	Conventional White	4"	Knocker Viewer
6993480RK6	34" x 80"	White	Right-Hand	Conventional White	6"	Knocker Viewer
6993676LK	36" x 76"	White	Left-Hand	Conventional White	4"	Knocker Viewer
6993676RK	36" x 76"	White	Right-Hand	Conventional White	4"	Knocker Viewer
6993680LK	36" x 80"	White	Left-Hand	Conventional White	4"	Knocker Viewer
6993680LK6	36" x 80"	White	Left-Hand	Conventional White	6"	Knocker Viewer
6993680RK	36" x 80"	White	Right-Hand	Conventional White	4"	Knocker Viewer
6993680RK6	36" x 80"	White	Right-Hand	Conventional White	6"	Knocker Viewer
6993876LK	38" x 76"	White	Left-Hand	Conventional White	4"	Knocker Viewer
6993876LK6	38" x 76"	White	Left-Hand	Conventional White	6"	Knocker Viewer
6993876RK	38" x 76"	White	Right-Hand	Conventional White	4"	Knocker Viewer
6993876RK6	38" x 76"	White	Right-Hand	Conventional White	6"	Knocker Viewer
6993880LK	38" x 80"	White	Left-Hand	Conventional White	4"	Knocker Viewer
6993880LK6	38" x 80"	White	Left-Hand	Conventional White	6"	Knocker Viewer
6993880RK	38" x 80"	White	Right-Hand	Conventional White	4"	Knocker Viewer
6993880RK6	38" x 80"	White	Right-Hand	Conventional White	6"	Knocker Viewer
6993882LK	38" x 82"	White	Left-Hand	Conventional White	4"	Knocker Viewer
6993882LK6	38" x 82"	White	Left-Hand	Conventional White	4"	Knocker Viewer
6993882RK	38" x 82"	White	Right-Hand	Conventional White	4"	Knocker Viewer
6993882RK6	38" x 82"	White	Right-Hand	Conventional White	4"	Knocker Viewer



6-Panel Fiberglass Combo Door with Mini Blind Lite

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color	Jamb Size	Lite
6993276LM	32" x 76"	White	Left-Hand	Conventional White	4"	Mini-Blinds
6993276RM	32" x 76"	White	Right-Hand	Conventional White	4"	Mini-Blinds
6993476LM	34" x 76"	White	Left-Hand	Conventional White	4"	Mini-Blinds
6993476RM	34" x 76"	White	Right-Hand	Conventional White	4"	Mini-Blinds
6993480LM	34" x 80"	White	Left-Hand	Conventional White	4"	Mini-Blinds
6993480RM	34" x 80"	White	Right-Hand	Conventional White	4"	Mini-Blinds
6993680LM^	36" x 80"	White	Left-Hand	Conventional White	4"	Mini-Blinds
6993680RM^	36" x 80"	White	Right-Hand	Conventional White	4"	Mini-Blinds



6-Panel Fiberglass Combo Door with Sunburst Lite

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color	Jamb Size	Lite
6993276LSS	32" x 76"	White	Left-Hand	Conventional White	4"	Sunburst
6993276RSS	32" x 76"	White	Right-Hand	Conventional White	4"	Sunburst
6993476LSS	34" x 76"	White	Left-Hand	Conventional White	4"	Sunburst
6993476LSS6	34" x 76"	White	Left-Hand	Conventional White	6"	Sunburst
6993476RSS	34" x 76"	White	Right-Hand	Conventional White	4"	Sunburst
6993476RSS6	34" x 76"	White	Right-Hand	Conventional White	6"	Sunburst
6993478LSS	34" x 78"	White	Left-Hand	Conventional White	4"	Sunburst
6993480LSS	34" x 80"	White	Left-Hand	Conventional White	4"	Sunburst
6993480RSS	34" x 80"	White	Right-Hand	Conventional White	4"	Sunburst
6993676LSS	36" x 76"	White	Left-Hand	Conventional White	4"	Sunburst
6993676RSS	36" x 76"	White	Right-Hand	Conventional White	4"	Sunburst
6993680LSS	36" x 80"	White	Left-Hand	Conventional White	4"	Sunburst
6993680LSS6	36" x 80"	White	Left-Hand	Conventional White	6"	Sunburst
6993680RSS	36" x 80"	White	Right-Hand	Conventional White	4"	Sunburst
6993680RSS6	36" x 80"	White	Right-Hand	Conventional White	6"	Sunburst
6993876LSS	38" x 76"	White	Left-Hand	Conventional White	4"	Sunburst
6993876RSS	38" x 76"	White	Right-Hand	Conventional White	4"	Sunburst
6993880LSS	38" x 80"	White	Left-Hand	Conventional White	4"	Sunburst
6993880LSS6	38" x 80"	White	Left-Hand	Conventional White	6"	Sunburst
6993880RSS	38" x 80"	White	Right-Hand	Conventional White	4"	Sunburst
6993880RSS6	38" x 80"	White	Right-Hand	Conventional White	6"	Sunburst



6-Panel Fiberglass Combo Door with 3/4 Oval Lite

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color	Jamb Size	Lite
6993476LO	34" x 76"	White	Left-Hand	Full White	4"	3/4 Oval
6993476RO	34" x 76"	White	Right-Hand	Full White	4"	3/4 Oval
6993480LO	34" x 80"	White	Left-Hand	Full White	4"	3/4 Oval
6993480RO	34" x 80"	White	Right-Hand	Full White	4"	3/4 Oval
6993676LO	36" x 76"	White	Left-Hand	Full White	4"	3/4 Oval
6993676RO	36" x 76"	White	Right-Hand	Full White	4"	3/4 Oval
6993880LO	38" x 80"	White	Left-Hand	Full White	4"	3/4 Oval
6993880RO	38" x 80"	White	Right-Hand	Full White	4"	3/4 Oval

6-Panel Fiberglass Combo Door with War and Peace Lite

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color	Jamb Size	Lite
6993476LW^	34" x 76"	White	Left-Hand	Conventional White	4"	War & Peace
6993476RW^	34" x 76"	White	Right-Hand	Conventional White	4"	War & Peace



[^]Available with 4-6 week lead time.

Exterior Outswing

- Steel Outswing doors have quality and security built-in.
- Heavy Duty galvanized steel frame and 4 heavy duty hinges.
- Steel core with Bright White PVC skin.
- Multiple window and size options to choose from.



6-Panel Outswing Steel Door

Part No.	Width x Height	Color	Opening Direction
6922472C	24" x 72"	White	NA
6923072L6	30" x 72"	White	Left-Hand
6923072R6	30" x 72"	White	Right-Hand
6923074L6	30" x 74"	White	Left-Hand
6923074R6	30" x 74"	White	Right-Hand
6923076L6	30" x 76"	White	Left-Hand
6923076R6	30" x 76"	White	Right-Hand
6923272L6	32" x 72"	White	Left-Hand
6923272R6	32" x 72"	White	Right-Hand
6923274L6	32" x 74"	White	Left-Hand
6923274R6	32" x 74"	White	Right-Hand
6923276L6	32" x 76"	White	Left-Hand
6923276R6	32" x 76"	White	Right-Hand
6923278L6	32" x 78"	White	Left-Hand
6923278R6	32" x 78"	White	Right-Hand
6923280L6	32" x 80"	White	Left-Hand
6923280R6	32" x 80"	White	Right-Hand
6923476L6	34" x 76"	White	Left-Hand
6923476R6	34" x 76"	White	Right-Hand
6923478L6	34" x 78"	White	Left-Hand
6923478R6	34" x 78"	White	Right-Hand
6923480L6	34" x 80"	White	Left-Hand
6923480R6	34" x 80"	White	Right-Hand
6923672L6	36" x 72"	White	Left-Hand
6923672R6	36" x 72"	White	Right-Hand
6923676L6	36" x 76"	White	Left-Hand
6923676R6	36" x 76"	White	Right-Hand
6923680L6	36" x 80"	White	Left-Hand
6923680R6	36" x 80"	White	Right-Hand
6923880L6	38" x 80"	White	Left-Hand
6923880R6	38" x 80"	White	Right-Hand

6-Panel Outswing Steel Door with 4 Lite

Part No.	Width x Height	Color	Opening Direction	Lite
6923072LT	30" x 72"	White	Left-Hand	4-Lite
6923072RT	30" x 72"	White	Right-Hand	4-Lite
6923074LT	30" x 74"	White	Left-Hand	4-Lite
6923074RT	30" x 74"	White	Right-Hand	4-Lite
6923272LT	32" x 72"	White	Left-Hand	4-Lite
6923272RT	32" x 72"	White	Right-Hand	4-Lite
6923274LT	32" x 74"	White	Left-Hand	4-Lite
6923274RT	32" x 74"	White	Right-Hand	4-Lite
6923276LT	32" x 76"	White	Left-Hand	4-Lite
6923276RT	32" x 76"	White	Right-Hand	4-Lite
6923278LT	32" x 78"	White	Left-Hand	4-Lite
6923278RT	32" x 78"	White	Right-Hand	4-Lite
6923280LT	32" x 80"	White	Left-Hand	4-Lite
6923280RT	32" x 80"	White	Right-Hand	4-Lite
6923476LT	34" x 76"	White	Left-Hand	4-Lite
6923476RT	34" x 76"	White	Right-Hand	4-Lite
6923676LT^	36" x 76"	White	Left-Hand	4-Lite
6923676RT^	36" x 76"	White	Right-Hand	4-Lite



6-Panel Outswing Steel Door with 9 Lite

Part No.	Width x Height	Color	Opening Direction	Lite
6923276LN	32" x 76"	White	Left-Hand	9-Lite
6923276RN	32" x 76"	White	Right-Hand	9-Lite
6923476LN	34" x 76"	White	Left-Hand	9-Lite
6923476RN	34" x 76"	White	Right-Hand	9-Lite
6923480LN	34" x 80"	White	Left-Hand	9-Lite
6923480RN	34" x 80"	White	Right-Hand	9-Lite
6923676LN	36" x 76"	White	Left-Hand	9-Lite
6923676RN	36" x 76"	White	Right-Hand	9-Lite
6923680LN	36" x 80"	White	Left-Hand	9-Lite
6923680RN	36" x 80"	White	Right-Hand	9-Lite



6-Panel Outswing Steel Door with 9-Lite

Part No.	Width x Height	Color	Opening Direction	Lite
6923074LN	30" x 74"	White	Left-Hand	9-Lite
6923074RN	30" x 74"	White	Right-Hand	9-Lite
6923272LN	32" x 72"	White	Left-Hand	9-Lite
6923272RN	32" x 72"	White	Right-Hand	9-Lite
6923274LN	32" x 74"	White	Left-Hand	9-Lite
6923274RN	32" x 74"	White	Right-Hand	9-Lite
6923278LN	32" x 78"	White	Left-Hand	9-Lite
6923278RN	32" x 78"	White	Right-Hand	9-Lite
6923280LN	32" x 80"	White	Left-Hand	9-Lite
6923280RN	32" x 80"	White	Right-Hand	9-Lite
6923478LN	34" x 78"	White	Left-Hand	9-Lite
6923478RN	34" x 78"	White	Right-Hand	9-Lite
6923672LN	36" x 72"	White	Left-Hand	9-Lite
6923672RN	36" x 72"	White	Right-Hand	9-Lite

6-Panel Outswing Steel Door with Laurel Lite

Part No.	Width x Height	Color	Opening Direction	Lite
6933276LL [^]	32" x 76"	White	Left-Hand	Laurel
6933276RL [^]	32" x 76"	White	Right-Hand	Laurel



6-Panel Outswing Steel Door with Sunburst Lite

Part No.	Width x Height	Color	Opening Direction	Lite
6923272LS	32" x 72"	White	Left-Hand	Sunburst
6923272RS	32" x 72"	White	Right-Hand	Sunburst
6923274LS	32" x 74"	White	Left-Hand	Sunburst
6923274RS	32" x 74"	White	Right-Hand	Sunburst
6923480LS	34" x 80"	White	Left-Hand	Sunburst
6923480RS	34" x 80"	White	Right-Hand	Sunburst
6923676LS	36" x 76"	White	Left-Hand	Sunburst
6923676RS	36" x 76"	White	Right-Hand	Sunburst
6923680LS	36" x 80"	White	Left-Hand	Sunburst
6923680RS	36" x 80"	White	Right-Hand	Sunburst

[^]Available with 4-6 week lead time.

6-Panel Outswing Steel Door with Mini-Blinds Lite

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color	Lite
6933272LM^	32" x 72"	White	Left-Hand	Conventional White	Mini-Blinds
6933272RM^	32" x 72"	White	Right-Hand	Conventional White	Mini-Blinds
6933274LM^	32" x 74"	White	Left-Hand	Conventional White	Mini-Blinds
6933274RM^	32" x 74"	White	Right-Hand	Conventional White	Mini-Blinds
6933278LM^	32" x 78"	White	Left-Hand	Conventional White	Mini-Blinds
6933278RM^	32" x 78"	White	Right-Hand	Conventional White	Mini-Blinds
6933280LM^	32" x 80"	White	Left-Hand	Conventional White	Mini-Blinds
6933280RM^	32" x 80"	White	Right-Hand	Conventional White	Mini-Blinds
6933478LM^	34" x 78"	White	Left-Hand	Conventional White	Mini-Blinds
6933478RM^	34" x 78"	White	Right-Hand	Conventional White	Mini-Blinds
6933276LM	32" x 76"	White	Left-Hand	Conventional White	Mini-Blinds
6933276RM	32" x 76"	White	Right-Hand	Conventional White	Mini-Blinds
6933476LM	34" x 76"	White	Left-Hand	Conventional White	Mini-Blinds
6933476RM	34" x 76"	White	Right-Hand	Conventional White	Mini-Blinds
6933480LM	34" x 80"	White	Left-Hand	Conventional White	Mini-Blinds
6933480RM	34" x 80"	White	Right-Hand	Conventional White	Mini-Blinds
6933676LM	36" x 76"	White	Left-Hand	Conventional White	Mini-Blinds
6933676RM	36" x 76"	White	Right-Hand	Conventional White	Mini-Blinds
6933680LM	36" x 80"	White	Left-Hand	Conventional White	Mini-Blinds
6933680RM	36" x 80"	White	Right-Hand	Conventional White	Mini-Blinds



6-Panel Outswing Steel Door with Slider Lite



Part No.	Width x Height	Color	Opening Direction	Lite
6923072LV	30" x 72"	White	Left-Hand	Slider
6923072RV	30" x 72"	White	Right-Hand	Slider
6923074LV	30" x 74"	White	Left-Hand	Slider
6923074RV	30" x 74"	White	Right-Hand	Slider
6923076LV	30" x 76"	White	Left-Hand	Slider
6923076RV	30" x 76"	White	Right-Hand	Slider
6923272LV	32" x 72"	White	Left-Hand	Slider
6923272RV	32" x 72"	White	Right-Hand	Slider
6923274LV	32" x 74"	White	Left-Hand	Slider
6923274RV	32" x 74"	White	Right-Hand	Slider
6923276LV	32" x 76"	White	Left-Hand	Slider
6923276RV	32" x 76"	White	Right-Hand	Slider
6923278LV	32" x 78"	White	Left-Hand	Slider
6923278RV	32" x 78"	White	Right-Hand	Slider
6923280LV	32" x 80"	White	Left-Hand	Slider
6923280RV	32" x 80"	White	Right-Hand	Slider
6923476LV	34" x 76"	White	Left-Hand	Slider
6923476RV	34" x 76"	White	Right-Hand	Slider
6923676LV	36" x 76"	White	Left-Hand	Slider
6923676RV	36" x 76"	White	Right-Hand	Slider
6923680LV	36" x 80"	White	Left-Hand	Slider
6923680RV	36" x 80"	White	Right-Hand	Slider



6-Panel Outswing Steel Door with War & Peace Lite

Part No.	Width x Height	Color	Opening Direction	Lite
6933276LW [^]	32" x 76"	White	Left-Hand	War & Peace
6933276RW [^]	32" x 76"	White	Right-Hand	War & Peace
6933680LW [^]	36" x 80"	White	Left-Hand	War & Peace
6933680RW [^]	36" x 80"	White	Right-Hand	War & Peace

6-Panel Steel Door with Decorative Star Lite

Part No.	Width x Height	Color	Opening Direction	Lite
6933476LTS	34" x 76"	White	Left-Hand	Decorative Star
6933476RTS	34" x 76"	White	Right-Hand	Decorative Star
6933676LTS	36" x 76"	White	Left-Hand	Decorative Star
6933676RTS	36" x 76"	White	Right-Hand	Decorative Star



6-Panel Steel Door with Sunburst Lite

Part No.	Width x Height	Color	Opening Direction	Lite
6923276LS	32" x 76"	White	Left-Hand	Sunburst
6923276RS	32" x 76"	White	Right-Hand	Sunburst
6923476LS	34" x 76"	White	Left-Hand	Sunburst
6923476RS	34" x 76"	White	Right-Hand	Sunburst

[^]Available with 4-6 week lead time.

Fiberglass Outswing

- Fiberglass Outswing doors have the appearance of authentic wood grain.
- Heavy Duty galvanized frame and 4 heavy duty hinges.
- Bright White skin.



6-Panel Outswing Fiberglass Door

Part No.	Width x Height	Color	Opening Direction
6943276R6	32" x 76"	White	Right-Hand
6943476L6	34" x 76"	White	Left-Hand
6943476R6	34" x 76"	White	Right-Hand
6943680L6	36" x 80"	White	Left-Hand
6943680R6	36" x 80"	White	Right-Hand

6-Panel Outswing Fiberglass Door with 3/4 Oval Lite

Part No.	Width x Height	Color	Opening Direction	Lite
6943276LO^	32" x 76"	White	Left-Hand	3/4 Oval
6943276RO^	32" x 76"	White	Right-Hand	3/4 Oval
6943680LO^	36" x 80"	White	Left-Hand	3/4 Oval
6943680RO^	36" x 80"	White	Right-Hand	3/4 Oval



6-Panel Outswing Fiberglass Door with 6-Lite

Part No.	Width x Height	Color	Opening Direction	Lite
6943476LC^	34" x 76"	White	Left-Hand	6-Lite
6943476RC^	34" x 76"	White	Right-Hand	6-Lite
6943680LC^	36" x 80"	White	Left-Hand	6-Lite
6943680RC^	36" x 80"	White	Right-Hand	6-Lite



Handle Every Season



Four-Seasons Door

The Four-Seasons Door by Caliber™ Doors is a more economical choice in a door for any outdoor space. With a one inch frame and three hinges, this door is solid enough to handle most anything nature can throw at it, no matter the season.

- The Four-Seasons Door by Caliber™ Doors is a more economical choice in a door for any outdoor space. With a one inch frame and three hinges, this door is solid enough to handle most anything nature can throw at it, no matter the season.
- Painted with a baked-on polyester finish which resists scratching and chipping.
- High tensile strength 2-7/8" x 1" aluminum frame with 3 patented maintenance free hinges.
- Heavy-duty closer provides consistent, easy opening and closing.
- Available pre-hung left or right-hand.
- Deluxe push button latch.
- Flexible bottom sweep for reliable weather protection.
- Shatter-resistant tempered safety-glass for added protection.
- Self-storing lower glass panel for ventilation.
- Ultra-fine screen mesh to guard against insects

Residential Storm Door Conventional

Part No.	Width x Height	Opening Direction
6903680LCV	36" x 80"	Left-Hand
6903680RCV	36" x 80"	Right-Hand

Storm Doors

- 1 ¼" heavy duty frame
- Self-storing (conventional view) or all-glass (fullview) options.
- ½" tempered safety glass
- Fiberglass mesh screen



Storm Door - All Glass

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color
6953476LFV	34" x 76"	White	Left-Hand	Full View White
6953476RFV	34" x 76"	White	Right-Hand	Full View White
6953880LFV	38" x 80"	White	Left-Hand	Full View White
6953880RFV	38" x 80"	White	Right-Hand	Full View White

Storm Door - Conventional

Part No.	Width x Height	Color	Opening Direction	Storm Type & Color
6953276L	32" x 76"	White	Left-Hand	Conventional White
6953276R	32" x 76"	White	Right-Hand	Conventional White
6953476L	34" x 76"	White	Left-Hand	Conventional White
6953476R	34" x 76"	White	Right-Hand	Conventional White
6953478L	34" x 78"	White	Left-Hand	Conventional White
6953478R	34" x 78"	White	Right-Hand	Conventional White
6953480L	34" x 80"	White	Left-Hand	Conventional White
6953480R	34" x 80"	White	Right-Hand	Conventional White
6953482L	34" x 82"	White	Left-Hand	Conventional White
6953676L	36" x 76"	White	Left-Hand	Conventional White
6953676R	36" x 76"	White	Right-Hand	Conventional White
6953680L	36" x 80"	White	Left-Hand	Conventional White
6953680R	36" x 80"	White	Right-Hand	Conventional White
6953876L	38" x 76"	White	Left-Hand	Conventional White
6953876R	38" x 76"	White	Right-Hand	Conventional White
6953880L	38" x 80"	White	Left-Hand	Conventional White
6953880R	38" x 80"	White	Right-Hand	Conventional White
6953882L	38" x 82"	White	Left-Hand	Conventional White
6953882R	38" x 82"	White	Right-Hand	Conventional White

Interior Doors

- Sturdy, built with consistent honeycomb core
- True wood edge
- 6-panel and flat options
- All doors come in heat shrink bag



Interior Door - Flat

Part No.	Width x Height	Color
64FB2478OAK	24" x 78"	Oak
64FB2480OAK	24" x 80"	Oak
64FB2680OAK	26" x 80"	Oak
64FB2878OAK	28" x 78"	Oak
64FB2880OAK	28" x 80"	Oak
64FB3078OAK	30" x 78"	Oak
64FB3080OAK	30" x 80"	Oak
64FB3278OAK	32" x 78"	Oak
64FB3280OAK	32" x 80"	Oak
64FB3680OAK	36" x 80"	Oak
64FB2478F	24" x 78"	White woodgrain
64FB2480F	24" x 80"	White Woodgrain
64FB2680F	26" x 80"	White Woodgrain
64FB2878F	28" x 78"	White Woodgrain
64FB2880F	28" x 80"	White Woodgrain
64FB3078F	30" x 78"	White Woodgrain
64FB3080F	30" x 80"	White Woodgrain
64FB3278F	32" x 78"	White Woodgrain
64FB3280F	32" x 80"	White Woodgrain
64FB3680F	36" x 80"	White woodgrain

Interior Door - 6-Panel

Part No.	Width x Height	Color
64FB24786P	24" x 78"	White
64FB24806P	24" x 80"	White
64FB26806P	26" x 80"	White
64FB28786P	28" x 78"	White
64FB28806P	28" x 80"	White
64FB30786P	30" x 78"	White
64FB30806P	30" x 80"	White
64FB36806P	36" x 80"	White

Part No.	Name	Description
69355301	Storm Door Closer Kit	Storm Door Closer Kit
69355302	Storm Door Closer Kit	Storm Door Closer Kit



Part No.	Name	Description
641996	Anodized Door Chain Stop	Kinro Storm Doors Anodized Door Chain Stop



Part No.	Name	Description
69350024	Kinro Storm Door Closer Kit	Kinro Storm Doors Kinro Storm Door Closer Kit, Black



Part No.	Name	Description
6419678	Pneumatic Storm Door Closer	Kinro Storm Doors Pneumatic Storm Door Closer



Part No.	Name	Description
6419908	Push Button Latch	Kinro Storm Doors Push Button Latch, 1-3/4", Black



Part No.	Name	Description
69350001	White Touch Up Paint	Kinro Storm Doors Kinro Storm Door Touch Up Paint



Part No.	Name	Description
691618	Patio Door Handle Kit	Patio Door Handle Kit for Kinro 1600 Series
691718	Patio Door Handle Kit	Patio Door Handle Kit for Kinro 1700 Series



Part No.	Name	Description
691608	Patio Door Roller	Patio Door Roller for Kinro 1600 Series
691708	Patio Door Roller	Patio Door Roller





Part No.	Name	Description
69I630	Patio Screen Door Handle Kit	Patio Screen Door Handle Kit for Kinro 7500 Series



Part No.	Name	Description
69K717276	Replacement Screen	35.75" x 73.375" Replacement Screen For 69K7167276 Kinro Series 1700
69K717280	Replacement Screen	35.75" x 77.375" Replacement Screen For 69K7167280 Kinro Series 1700
69K7167276	Replacement Screen	72" x 76" Replacement Screen For 69K4167276 Kinro Series 1600
69K7167280	Replacement Screen	72" x 80" Replacement Screen For 69K4167280 Kinro Series 1600



Part No.	Name	Description
36351035	Door Knocker	Nickel Knocker with Viewer
69351030	Door Knocker	Brass Knocker with Viewer



Part No.	Name	Description
603028	Knob/Wall Guard	3-5/16" White with Adhesive
603029	Knob/Wall Guard	5" White with Adhesive



Part No.	Name	Description
64020001	Latch Saver	Latch Saver, White
64020002	Latch Saver	Latch Saver, Stainless Steel



Part No.	Name	Description
695811	Door Dripcap	Mill Finish for 32" Door
695812	Door Dripcap	Mill Finish for 34" Door
695813	Door Dripcap	Mill Finish for 36" Door



Part No.	Name	Description
695701	Threshold	for 32" Door
695702	Threshold	for 34" Door
695703	Threshold	for 36" Door

Product availability varies · Please check with your Territory Sales Manager

Part No.	Name	Description
43120615	Putty Tape	1-1/2" x 1/8" x 30' Putty Tape, Use On Doors And Windows.



Part No.	Name	Description
641101	Entrance Lock	Entrance Lock, Stainless Steel
641104	Entrance Lock	Entrance Lock, Polished Brass



Part No.	Name	Description
641103	Entry Deadbolt and Combo Set	Entry Deadbolt and Combo Set, Stainless Steel
641106	Entry Deadbolt and Combo Set	Entry Deadbolt and Combo Set, Polished Brass



Part No.	Name	Description
641102	Single Cylinder Deadbolt	Single Cylinder Deadbolt, Stainless Steel
641105	Single Cylinder Deadbolt	Single Cylinder Deadbolt, Polished Brass



Part No.	Name	Description
678920	Drawer Single Track Set	Drawer Single Track Set



Part No.	Name	Description
673252	Non Mortise Hinge	Non Mortise Hinge, Brass
673251	Non Mortise Hinge	Non Mortise Hinge, Stainless Steel



Part No.	Name	Description
673711	Phillips Recess Screw	Flat Head 1" Silver 100 per Bag
673712	Phillips Recess Screw	Flat Head 1" Brass 100 per Bag



Part No.	Name	Description
648328	Privacy Handle Lockset	Privacy Handle Lockset, Nickel





Part No.	Name	Description
648326	Privacy Lock Set	Privacy Lock Set, Stainless Steel
648327	Privacy Lock Set	Privacy Lock Set, Brass



Part No.	Name	Description
648224	Passage Handle Lockset	Passage Handle Lockset, Nickel




Part No.	Name	Description
648221	Passage Lock Set	Passage Lock Set, Stainless Steel
648223	Passage Lock Set	Passage Lock Set, Brass



Part No.	Name	Description
697508	Patio Door Handle Kit	Patio Door Handle Kit for Kinro 7500 Series



Part No.	Name	Description
697506	Patio Door Roller	Patio Door Roller for Kinro 7500 Series



Part No.	Name	Description
69K7756072	Replacement Screen	60" x 72" Replacement Screen For 69K4756072 Kinro Series 7500
69K7756076	Replacement Screen	60" x 76" Replacement Screen For 69K4756076 Kinro Series 7500
69K7757672	Replacement Screen	72" x 76" Replacement Screen Kinro Series 7500

Door Installation Instructions

FOR COMBINATION & OUTSWING DOORS

For your safety, read all instructions, this document is provided as a GUIDELINE for the proper installation of the Caliber Combo Doors. Installation is common between all sizes.

Note: These instructions are recommended guidelines for proper installation of the included components. Dimensions for notes that use specific screws must be held to the size to ensure proper fit. The Drawings included are Guidelines. Actual door may vary according to size and style. Parts of the door may have been omitted for clarity. These instructions are written under the pretense that the opening has been properly prepped and squared prior to beginning the installation process (If the opening isn't the door will not work properly)

RECOMMENDED TOOLS/SUPPLIES


- Sealant—Silicone base
- Screws recommended
 - min # 8 x 1 ¼" ¼" hex head screw door installation in the exterior frame
 - min # 8 x 2" Pan head screw at the latch and deadbolt
- Non-hardening putty tape w/ putty knife
- Screwdriver or reversible drill,
- Shims

IMPORTANT: For Combination Doors, **DO NOT** remove any shipping clips, spacers, or fasteners and keep the door locked & closed during installation. Opening the window before installation may affect any pre-squaring done by the manufacturer.

1. Place the door in a position suitable to apply a non-hardening tape, such as putty tape, to the mounting flange being sure to center it over all mounting holes. A sealant from a gun may be used instead, but the bead must be at least 1/4 of an inch wide, cover all mounting holes and be free of gaps or voids.
2. Inspect the opening is square and built to accept the door as ordered, a general rule is to allow clearance 1/2" from the side and 1/4"-1/2" on top to bottom from the A-line dimension of the door. Ensure the opening is square so when installing the door it is not installed into a position that will cause to door to not work as designed.
3. Insert the assembly carefully into the rough opening. Make certain the door sill is level with the opening. Position the door in approximate center of rough opening, hold the door flat against the wall and secure it with preliminary screw; three on one side, beginning with the middle one, then two more, one above and one below the center screw, proceeding in the same order. (The door frame is pre-drilled with screw positions at no more than 5-1/2" from the end on 8" centers for the Steel Outswing Door and from .25" from edge typical, in the exterior of the frame so no measuring is required.)
4. Do not tighten these screws until the door is checked for squareness and make any necessary adjustments. Standard door shims can be added as needed to the interior to ensure proper alignment. Tighten these 6 screws to lock the assembly in position.
5. Once the door is in place, tighten the preliminary screws and proceed to install any remaining screws, starting from the middle of a side and working towards the corners. The screw should penetrate the mounting frame to a depth of at least one inch and care should be taken to drive the screws

straight into the studs, not at an angle. Tighten the screws until the putty squeezes out.

6. Install screws in the top and bottom horizontal rails in the same manner as the vertical rails until all attachment points are filled.
7. The door should now be securely fastened to the wall and safe to use the features of the door. Remove the shipping clips and operate the door several times to be sure it functions as designed.
8. Optional-Attach two screws of length between 1-1/2"-2" into one hole of the latch and deadbolt (if included) brackets that securely enters the jamb.
9. Any additional sealant to the exterior can be added as deemed necessary by the installer to complete their installation requirements.
10. Install hardware and any safety chain in compliance with the manufacturer's instructions at this time.



You have completed
the installation.


Visit Caliber
Doors on
YouTube
for helpful
video tips!





is

Nationwide



ALBUQUERQUE, NM · ATLANTA, GA · CHESTERFIELD, MI · DENVER, CO · FENTON, MO · FLINT, MI
FOND DU LAC, WI · FORT MYERS, FL · FREMONT, OH · FT. WORTH, TX · GOSHEN, IN · GRAND RAPIDS, MI
HAMMOND, LA · HOUSTON, TX · INDIANAPOLIS, IN · LAKE CITY, FL · LAKELAND, FL · LANSING, MI
LAS CRUCES, NM · LAS VEGAS, NV · LENEXA, KS · MELBOURNE, FL · ODESSA, TX · OKLAHOMA CITY, OK
PANAMA CITY, FL · PHOENIX, AZ · ROMULUS, MI · SACRAMENTO, CA · SAN ANTONIO, TX · TALLADEGA, AL
TAYLOR, MI · TULSA, OK · TYLER, TX · WACO, TX · WICHITA, KS · WINSTON-SALEM, NC



800.945.4440

www.stylecrestinc.com/caliber-doors

©Style Crest®, Inc. 2024 | Product availability and specifications are subject to change without notice. | 01/02/25 | Caliber Doors Catalog | MH-0138